



GISTM Principle 15 – August 2026 Public Disclosure

Turquoise Ridge
Pinion TSF

5 August 2026

FACILITY LEVEL STATEMENT OF CONFORMANCE¹

The Pinion Tailings Storage Facility (TSF) is in Full Conformance with the GISTM.

PRINCIPLE 15

Publicly disclose and provide access to information about the tailings facility to support public accountability.

REQUIREMENT 15.1

A. For new tailings facilities for which the regulatory authorisation process has commenced, or that are otherwise approved by the Operator, the Operator shall publish and update, in accordance with Principle 21 of the UNGP, the following information:

Requirement 15.1 A is not applicable as this is an existing facility.

B. For each existing tailings facility and in accordance with Principle 21 of the UNGP, the Operator shall publish and update at least on an annual basis, the following information:

1. A description of the tailings facility (information may be obtained from the output of Requirements 5.5 and 6.4)

Nevada Gold Mines LLC (NGM), a joint venture between Barrick Mining Corporation (Barrick) and Newmont Corporation (Newmont), owns and operates the Pinion TSF at the Turquoise Ridge Complex Site located approximately 60 kilometres northeast of Winnemucca, Nevada, USA.

The Getchell TSF is described by the following details:

- **Facility Operational Status:** Closed.
- **Expansion Methods:** Staged construction, downstream raise method.
- **Embankment Type:** Ring dam facility contained by zoned embankments consisting of native alluvium materials and run-of-mine waste rockfill.
- **Basin:** Low permeability fill liner and drainage system (above the liner) to capture and convey seepage to ancillary ponds.
- **Deposition Start and end (year):** 1989 - 2001.
- **Tailings Storage Capacity:** Conventional slurry tailings; 8M tonnes currently stored.

¹**Facility-Level Conformance Definitions:**

- **Full Conformance:** All applicable requirements are met in full; or, all applicable requirements are met but the facility requires remedial works to conform to specific requirements (e.g. 4.7 or 5.7), for which basic engineering is complete, budgeted, and a construction schedule has been developed and approved by the Accountable Executive to complete remedial works as soon as reasonably practicable.
- **Partial Conformance:** Some requirements are fully met; others are partially met or not met.
- **Non-Conformance:** No applicable requirements are either partially or fully met.

- **Current Permitted Impoundment:** Facility was formally closed by the Nevada Division of Water Resources (NDWR) in 2010. The downstream seepage collection pond is permitted to operate in accordance with the provisions outlined in the Water Pollution Control Permit NEV0089035.
- **Maximum Embankment Height:** 30 m.
- **Supernatant Pool Configuration:** There is currently no supernatant pool. Surface runoff from direct precipitation evaporates, infiltrates through the closure cover, or is routed through the closure spillway.
- **Long-term closure plan:** Following the cessation of operations, solution was evaporated from the facility. The embankments have been re-sloped, covered, and seeded to their final closure configuration. The impoundment area has been capped, covered, and seeded to form a stable landform and a closure spillway was established to route meteoric water off the facility. An evaporation cell is planned to be developed to passively evaporate seepage from the underdrain system, through the conversion of the existing collection pond into an evaporation cell.

2. The Consequence Classification (Requirement 4.1)

Facility Consequence Classification

Current Classification	Classification used for Design
Significant (GISTM 2020)	Extreme (GISTM 2020)

3. A summary of risk assessment findings relevant to the tailings facility (Information may be obtained from the output of Requirement 10.1)

The Pinion TSF risk assessment was updated in April 2025, determined that no risk drivers exist for the facility, and confirmed that the measures implemented for the facility ensure the risk level is As Low As Reasonably Practicable (ALARP).

4. A summary of impact assessments and of human exposure and vulnerability to tailings facility credible flow failure scenarios (Information may be obtained from the output of Requirements 2.4 and 3.3)

The following is a summary of the material environmental, social, and critical facilities/infrastructure that may be impacted in the unlikely event of a catastrophic tailing's facility failure. For each aspect, the table provides a summary of the nature of the potential impacts and vulnerabilities. The

assessment of human exposure and vulnerability was completed utilizing information from previous dam breach and downstream inundation analysis, and Emergency Action Plans (EAP).

Summary of Potentially Material Impacts

Aspects	Impact description	Mitigation Measure(s)
Environmental	A release could impact local areas of habitat for species of special interest resulting in insignificant loss of habitat. A release could impact tributaries to the Humboldt River. Tailings material is unlikely acid-generating, but metals concentrations may pose risk to the environment until mitigation is completed following a release.	Develop and implement recovery and rehabilitation plan.
Public Infrastructure	Off-site impacts could cause blockage of public (County) roads and reduce public access to recreation. A small stretch of the Western Pacific railroad may be inundated. Losses to recreational access and infrequently used transportation routes within the potential inundation area would occur. No significant offsite disruption to community infrastructure and services anticipated, except for possible railroad activities.	In the event of a dam safety emergency, the Emergency Action Plan will be initiated. This will address the immediate needs of communities and environment. Further, this will be supported by developing and implementing recovery and rehabilitation plan.
Health, Social, & Cultural	Within the potential inundation area, there are no known community welfare or assets. Potential impacts to the Humboldt River could impact recreational uses. Significant disruption of business, service or social dislocation are unlikely. There are multiple cultural resources sites within the potential inundation area. Risks to health from exposure to tailings are assumed to be temporary if exposure controls are implemented following a breach.	In the event of a dam safety emergency, the Emergency Action Plan will be initiated. This will address the immediate needs of communities and environment. Further, this will be supported by developing and implementing recovery and rehabilitation plan.
Economic	Direct negative offsite economic impacts could be possible if impacts to the Humboldt River are significant and/or Western Pacific railroad traffic is suspended.	In the event of a dam safety emergency, the Emergency Action Plan will be initiated. This will address the immediate needs of communities and environment. Further, this will be supported by developing and implementing recovery and rehabilitation plan.

5. A description of the design for all phases of the tailings facility lifecycle including the current and final height (Information may be obtained from the output of Requirement 5.5)

The Piñon TSF is a ring dam facility contained by zoned embankments constructed with native alluvium materials and run-of-mine waste rockfill, and a low permeability fill liner within the basin. A liner is present along the subgrades of the embankments except the east embankment where the liner is along the upstream slope to promote seepage flow toward the west where the seepage recovery pond is located. The embankment dams were raised with the downstream method.

There is currently no supernatant pond, and surface runoff evaporates, infiltrates through the closure cover, or is routed through the closure spillway which can pass the inflow design flood. Seepage through tailings reports to the underdrain system above the liner comprising of a drainage blanket. The underdrain system and seepage reports to a seepage collection pond via gravity flow.

The underlying geology of the facility consists of Quaternary alluvial fan with upland alluvial deposits of various thicknesses that are underlain and bounded by Paleozoic sedimentary and Cenozoic volcanic rocks.

Each stage of the tailing facility has been engineered, and the design and construction of the facility was overseen by a qualified engineer. The table below summarizes the historical stages of construction.

Stages of Dam Construction

Construction Stage	Completion Date	Crest Elevation (m)	Significant Design Changes
Stages 1 and 2 Starter Configuration	1990	1,469	
Stages 3, 4, and 5	1991	1,474	
Stage 6	1994	1,477	
Stage 7	1995	1,481	
Stage 8 Ultimate Configuration	1997	1,486	
Closure cover fill construction	2006	1,486	
Resloped embankments for closure	2009	1,486	
Closure spillway constructed	2010	1,486	Decommissioned pond decant structure utilized during operations.
Closure spillway upgrades	2018	1,486	Constructed upgraded spillway design to route more severe inflow design flood event.

- 6. A summary of material² findings of annual performance reviews and dam safety review (DSR), including implementation of mitigation measures to reduce risk to ALARP (Information may be obtained from output of Requirements 10.4 and 10.5);**

Summary of Material Findings and Mitigation Measures

Source	Material Findings Summary	Mitigation Measures to Meet ALARP
2026 DSI ³	No material findings	Not applicable
2025 DSR ⁴	No material findings	Not applicable

- 7. A summary of material⁵ findings of the environmental and social monitoring programme including implementation of mitigation measures (Requirement 7.5)**

There have been no material incidents or findings from the environmental and social incidents monitoring programme since the August 2025 Public Disclosure was issued for the Pinon TSF.

- 8. A summary version of the tailings facility EPRP for facilities that have a credible failure mode(s) that could lead to a flow failure event that:**

- **informed by credible flow failure scenarios from the tailings facility breach analysis;**
- **includes emergency response measures that apply to project affected people as identified through the tailings facility breach analysis and involve cooperation with public sector agencies; and**
- **excludes details of emergency preparedness measures that apply to the Operator's assets, or confidential information (Requirements 13.1 and 13.2);**

An Emergency Action Plan (EAP) has been developed specifically for the Piñon TSF to meet regulatory requirements. The EAP describes procedures for reporting and responding to a wide range of potential adverse events including a notification flowchart (see below) to ensure stakeholders and responders are informed promptly and engaged in event response.

The EAP is a subset of an overall, site-wide Emergency Preparedness and Response Plan (EPRP) developed and maintained for the Turquoise Ridge Complex. The EAP and EPRP are both reviewed

² Material findings are findings that have a high probability of becoming or actual dam safety issues that require immediate attention and are considered immediately dangerous to life, health or the environment, a significant regulatory enforcement.

³DSI: Dam Safety Inspection.


⁴DSR: Dam Safety Review.

⁵ An incident is considered material if it:

a) Causes significant negative impact on human health or the environment;
b) Extends onto publicly accessible land and has the potential to cause significant adverse impact to surrounding communities, livestock or wildlife;
c) Results in a breach of license conditions, the convention between the mine and government, or a violation of environmental regulations and standards or constitute releases above Reportable Quantities (RQs) any of which is immediately reportable to the government by law or other statute; or
d) Results in a release of cyanide (above 0.5 mg/l of WAD cyanide, confirmed by a certified third-party laboratory as above detection limit) to any surface water that leaves the site boundaries or any groundwater aquifer (whether on or off-site).

annually and updated as necessary to reflect changes in site conditions by NGM's responsible personnel, available resources, and contractors who may be engaged in an emergency response.

EMERGENCY NOTIFICATION FLOWCHART



Roles and Responsibilities:

Dam Owner

1. Verify and assess emergency conditions.
2. Determine evacuation plan and secure dam plan and implement through Dispatch and Environmental manager.
3. Notify other participating emergency management agencies, (internal support provided by Site Emergency Response Team, Security, and Turquoise Ridge Emergency Response Team. External support provided by the Golconda Volunteer Fire Department).
4. Provide condition status reports to participating emergency management agencies.
5. Take action to prevent/minimize loss of life and damage to environment due to an emergency.
6. Make assessments and coordinate mitigative repair actions

Process Manager

1. Respond to Site.
2. Determine evacuation plan and secure dam plan and implement through Dispatch and Environmental manager.
3. Contact SRS to start NOTIFICATION FLOW CHART.

4. Make assessments and coordinate mitigative repair actions.
5. Keep SRS updated with latest developments.
6. Provide post-event briefing.

NGM Security and Dispatch

1. Initiate evacuation plan and emergency response plan.
2. Evacuate and secure inundation area.
3. Issue announcements over mine radios on all channels for all personnel.
4. Coordinate with Emergency Services to perform rescue operations to minimum loss of life.

Golconda Volunteer Fire Department:

1. Receive condition status reports from Dam Owner.
2. Notify Public within Golconda, if required.
3. Conduct evacuation from inundation areas, if required.
4. Render assistance to Humboldt County, as necessary.
5. Render assistance to Dam Owner, as necessary.

Humboldt County, NV Police Fire and Rescue, and Emergency Services

1. Receive condition status reports from Dam Owner.
2. Notify Public within Humboldt County, if required.
3. Conduct evacuation from inundation areas in Humboldt County, if required.
4. Provide mutual aid to Dam Owner, if requested and able

9. Dates of most recent and next independent reviews (Requirement 10.5)

Dates of Independent Reviews

Review Type	Latest Review	Previous Review
IGRB ⁶	May 2025	None
DSR	June 2025	None

10. Annual confirmation that the Operator has adequate financial capacity (including insurance to the extent commercially reasonable) to cover estimated costs of planned closure, early closure, reclamation, and post-closure of the tailings facility and its appurtenant structures (Requirement 10.7)

Barrick has sufficient financial resources to meet its business requirements for the foreseeable future, including capital expenditures, working capital requirements, interest payments, environmental rehabilitation, securities buyback and dividends.

⁶ IGRB: Independent Geotechnical Review Board.

For additional information refer to Barrick Annual Report ‘Financial Position and Liquidity’ (page 50) and ‘Contractual Obligations and Commitments’ table (page 53).

[Annual Report 2025](#)

C. Provide local authorities and emergency services with sufficient information derived from the breach analysis to enable effective disaster management planning (Information may be obtained from the output of Requirement 2.3)

An EAP has been developed for Piñon TSF to meet permitting requirements through the Nevada Division of Water Resources. The EAP outlines emergency response procedures to be implemented during various identified emergencies and has been shared with local authorities. The EAP is reviewed, updated, and provided to the following local authority or emergency services annually.

List of Documents Shared with Local Authorities and Emergency Services

Local Authority or Emergency Services	Document
Bureau of Land Management	EPRP, EAP – Update annually as needed
Nevada Division of Water Resources	EPRP, EAP – Update annually as needed
Nevada Division of Environmental Protection	EPRP, EAP – Update annually as needed
Nevada Department of Emergency Management	EPRP, EAP – Update annually as needed
Nevada Department of Transportation	EPRP, EAP – Update annually as needed
National Weather Service	EPRP, EAP – Update annually as needed
Humboldt County (Golconda and Winnemucca)	EPRP, EAP – Update annually as needed
Humboldt County Sheriff	EPRP, EAP – Update annually as needed
Humboldt County EMS	EPRP, EAP – Update annually as needed
NV Energy	EPRP, EAP – Update annually as needed

REQUIREMENT 15.2

A. Respond in a systematic and timely manner to requests from interested and affected *stakeholders* for additional information *material* to the public safety and integrity of a *tailings facility*. When the request for information is denied, provide an explanation to the requesting *stakeholder*.

Barrick is committed to the timely response to requests for additional information material to the public safety and integrity of their TSFs from interested and affected stakeholders. In the event that specific information cannot be shared with the requesting stakeholder, an explanation will be provided. Information on Barrick’s Tailings Management policy and our Social Performance Policy can be found at the following links:

[Tailings Management Policy](#)

[Social Performance Policy.pdf](#)

REQUIREMENT 15.3

- A. Commit to cooperate in credible global transparency initiatives to create standardised, independent, industry-wide and publicly accessible databases, inventories or other information repositories about the safety and integrity of *tailings facilities*.**

Barrick is committed to global transparency around the public safety and integrity of our TSFs. A link to Barrick's Tailings Management Policy can be found here.

[Tailings Management Policy](#)

CAUTIONARY STATEMENT ON FORWARD-LOOKING INFORMATION

Certain information contained in Barrick's Global Industry Standard on Tailings Management ("GISTM") tailings disclosure ("GISTM Disclosure"), including any information as to the design and operation of Barrick's tailings facilities and Barrick's sustainability strategy and vision, projects, plans or future technical, or operating performance constitutes "forward-looking statements". All statements, other than statements of historical fact, are forward-looking statements. The words "target", "plan", "project", "develop", "estimate", "potential", "may", "will", "likely", "unlikely", "can", "could", "would" and similar expressions identify forward-looking statements. In particular, this GISTM Disclosure contains forward-looking statements including, without limitation, with respect to: the results of Barrick's annual performance and dam safety reviews and related mitigation measures for the Piñon Tailings Storage Facility ("Piñon TSF"); the design, storage capacity and lifecycle of Piñon TSF; the potential environmental and social impacts of Piñon TSF and related monitoring and risk assessments; the results of Barrick's tailings facility breach analysis and inundation studies including human exposure and vulnerability to flow failure scenarios, disaster management planning and emergency preparedness; and estimated costs associated with Piñon TSF.

Forward-looking statements are necessarily based upon a number of estimates and assumptions that, while considered reasonable by the company as at the date of this Response in light of management's experience and perception of current conditions and expected developments, are inherently subject to significant business, economic and competitive uncertainties and contingencies. Known and unknown factors could cause actual results to differ materially from those projected in the forward-looking statements and undue reliance should not be placed on such statements and information. Such factors include, but are not limited to: operating or technical difficulties in connection with mining or development activities, including geotechnical challenges, tailings dam and storage facilities failures; physical and transition risks related to climate change, including extreme weather events and resource shortages; risk of loss due to acts of war, terrorism, sabotage and civil disturbances; changes in national and local government legislation, taxation, controls or regulations and/or changes in the administration of laws, policies and practice; political or economic development in Nevada, United States, or other countries in which Barrick does or may carry on business in the future; timing of receipt of, or failure to comply with, necessary permits and approvals; our ability to maintain relationships with public sector agencies and the communities surrounding the Piñon TSF; contests over access to water, power and other required infrastructure; and disruptions in the maintenance or provision of required infrastructure and information technology systems. In addition, there are risks and hazards associated with the business of mineral exploration, development and mining, including environmental hazards, industrial accidents, unusual or unexpected formations, pressures, cave-ins and flooding. Many of these uncertainties and contingencies can affect our actual results and could cause actual results to differ materially from those expressed or implied in any forward-looking statements made by, or on behalf of, Barrick. Readers are cautioned that forward-looking statements are not guarantees of future performance.

All of the forward-looking statements made in this GISTM Disclosure are qualified by these cautionary statements. Specific reference is made to the most recent Form 40-F/Annual Information Form on file with the SEC and Canadian provincial securities regulatory authorities for a discussion of some of the factors underlying forward-looking statements and the risks that may affect Barrick's ability to achieve the expectations set forth in the forward-looking statements contained in this Response.

Barrick disclaims any intention or obligation to update or revise any forward-looking statements whether as a result of new information, future events or otherwise, except as required by applicable law.