

FORWARD LOOKING STATEMENT

Certain statements included herein, including those regarding production, costs, development schedules and other statements that express management's expectations or estimates of our future performance, constitute "forward-looking statements" within the meaning of the United States Private Securities Litigation Reform Act of 1995. The words "believe", "expect", "anticipate", "contemplate", "target", "plan", "intends", "continue", "budget", "estimate", "may", "will", "schedule", and similar expressions identify forward-looking statements. Forward-looking statements are necessarily based upon a number of estimates and assumptions that, while considered reasonable by management are inherently subject to significant business, economic and competitive uncertainties and contingencies. We caution you that such forward-looking statements involve known and unknown risks, uncertainties and other factors that may cause the actual financial results, performance or achievements of Barrick to be materially different from our estimated future results, performance or achievements expressed or implied by those forward-looking statements and our forward-looking statements are not guarantees of future performance. These risks, uncertainties and other factors include, but are not limited to: changes in the worldwide price of gold or certain other commodities (such as silver, copper, diesel fuel and electricity) and currencies; changes in interest rates or gold lease rates that could impact realized prices under our forward sales program; legislative, political or economic developments in the jurisdictions in which Barrick carries on business; operating or technical difficulties in connection with mining or development activities; the speculative nature of gold exploration and development, including the risks of diminishing quantities or grades of reserves; and the risks involved in the exploration, development and mining business. These factors are discussed in greater detail in Barrick's most recent Form 40-F/Annual Information on file with the U.S. Securities and Exchange Commission and Canadian provincial securities regulatory authorities.

Barrick expressly disclaims any intention or obligation to update or revise any forward-looking statements whether as a result of new information, events or otherwise.


Welcome to Barrick Goldstrike
930E
BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005


Goldstrike Property
Meikle
Roaster
Rodeo
Open Pit
Autoclave
Administration




Goldstrike's History

- Purchased property in 1986 for $62 million
- Oxide heap-leach operation
- Increased property significantly:
  - 600,000 ounces reserves in 1986
  - discovered Meikle in 1989
  - 27.5 million ounces produced through 2004
  - 19.2 million ounces reserves in 2004
- Produced ~2Moz per year 1995 – 2004

BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005

Goldstrike's Contribution



BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005

Goldstrike's Decision Making Priorities

Human Safety

Environmental Protection


Property Protection

Production

BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005

Goldstrike's Safety Performance

MSHA Reportable Injuries – 2001-2005



BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005

Goldstrike's Environmental Stewardship

- Concurrent reclamation of waste dumps
- AA heap leach reclamation
- State-of-the-art environmental controls in processing and mining

BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005

Goldstrike's Community Contribution

- Employ 1,600 highly trained and skilled mining professionals
- $70 million to communities, schools and charities since 1986

BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005

Goldstrike's Production Contribution
2005 estimates

- Production: 2,000,000 – 2,020,000 ounces
- Total cash cost: $253 – $263 per ounce[1]

BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005

1 Reflects the impact of the new accounting policy for stripping costs and the inclusion of accretion expense.

The Outlook for Goldstrike

The Next Chapter

- Cost containment
- Enhancement initiatives
- Leverage existing infrastructure
- Reserve additions

Nevada Power Plant

- Lowers Goldstrike electricity costs by $10/oz over the life-of-mine
- Mitigates the risk of rising electricity prices through the ability to:
  - generate power when market prices are high
  - purchase power when market prices are low
- 115 Megawatts
- $100 million capital
- Anticipated start-up in Q4/05

Nevada Power Plant



Engine Hall B – Gensets Installed


SCR Emissions Controls

Western 102 Power Plant Overview




Peer Group – Cash Cost Increases

(Compound Annual Increase - 2002-2005E)



BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005


Open-Pit Operations
BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005


Open-Pit – Current Dimensions
9900'
7500'
1500'
BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005

Open Pit Operations

- Conventional large truck / shovel operation
- Operated 24 hours per day
- Approximately 600 people

Open Pit Operations – Major Equipment

- Loading Fleet
  - 4 P&H 2800's
  - 1 Hitachi 5500
  - 1 Le Tourneau L1850
- Trucks
  - 31 Komatsu 930 haul trucks
- Drills
  - 8 Ingersoll Rand Drills

Open-Pit – Mining Rates

(000's)	2001	2002	2003	2004	2005E
Tons mined	154,233	142,898	141,693	134,212	141,296
Tons per day	433	401	398	376	387
Tons of ore	17,412	14,552	9,589	9,434	7,754
Grade mined (oz/ton)	0.15	0.14	0.20	0.16	0.18
Reserve grade (oz/ton)	0.15	0.15	0.15	0.14	0.13
Tons waste	136,821	128,346	132,104	124,778	133,542

Open-Pit – Reducing Costs / Improving Productivity

- Increasing employee involvement
- Operating practices
- Increasing revenue
- Technology
- Controlling major costs

Open-Pit – Haul Truck Tire Life

Since Oct 2002, focus on improving tire life through awareness, improved technology, and behaviors has led to 50+% increase in life of $22K truck tires.







Open-Pit – TEAM Approach to Equipment Reliability

Since Aug 2003, building sense of ownership (through involvement, awareness, and team-based problem solving) and focusing on the basics have led to reliability improvements in the haul truck fleet (Phase 1 of TEAM).










Open-Pit – Weird II

In 2005, performed a 2-month underground mining project from the pit where 20,508 tons were mined, producing 10,647 ounces of gold profitably.




Open-Pit – Unit Mining Costs

Tons Mined Per Manshift (thousands)



BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005


Underground Operations
BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005


Underground Operations
roaster
Meikle
Rodeo
BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005

Underground Operations

- Accessed by shaft
- Operated 24 hours per day
- Approximately 500 people
- Mining Methods
  - drift and fill
  - long hole open stope

Underground – Mining Rates

(000's)	2001	2002	2003	2004	2005E
Tons hoisted	1,372,431	1,634,875	1,630,648	1,573,321	1,615,855
Tons per day	3,770	4,504	4,523	4,305	4,481
Grade mined (oz/ton)	0.561	0.427	0.383	0.401	0.390
Reserve grade (oz/ton)	0.457	0.439	0.398	0.377	0.392

Underground – Reducing Costs / Improving Productivity

- Increase employee involvement
- Improve approach to maintenance
- Alternative mining methods
- Operational Improvements

BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005

Underground – 5S Initiative


Our 5S initiative has organized our maintenance shops into a more safe and efficient workplace.

1. Sort
2. Set in order
3. Shine
4. Standardize
5. Sustain






Underground – Unit Mining Costs (per ton)



Does not include dewatering costs

BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005



Processing

- Two processing facilities
  - Autoclave
  - Roaster
- Operated 24 hours per day
- Approximately 430 people

BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005

Processing

There are two types of gold ore:


Single refractory - the gold is locked in sulfide mineral particles that must be oxidized to expose the gold for cyanide leaching. The autoclaves do this function effectively.

Double refractory - the ore also contains *preg-robbing* carbon that will collect solubilized gold in the leaching circuit if it is not removed (oxidized) first. Both of these problems are solved by roasting the ore at a high temperature.

Processing – 2005 Estimated Throughput

Tons per Day	Autoclave	Roaster	Total
Open Pit	18,074	9,938	28,012
Custom Ore	188	2,059	2,247
Underground	0	4,160	4,160
Total	18,262	16,157	34,419

Processing – Throughput Rates




Processing – Reducing Costs / Improving Productivity

- Employee involvement in CI initiatives and safety programs
- Optimize reagent consumption

Processing – Reagent Optimization


Propane Consumption – gallons per ton



BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005


Processing – Reagent Optimization – Grinding Media

Autoclave Grinding Ball Consumption – pounds per ton




BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005



Exploration
BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005


Nevada Exploration Projects
Pinson
Getchell
Rossi/Dee
Ren
Goldstrike
ELKO
Carlin Valley
Carlin
Marigold
Battle Mt. - Eureka
RENO
Ruby Hill
Round Mountain


Goldstrike and Carlin Trend 2005 Projects



BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005





Goldstrike 2005 Target Areas





Goldstrike 2005 Exploration Program

- 250,000' drill program in progress
- 105,000' completed YTD
- Program is testing 8 target areas in Target Delineation to Reserve Development stages
- Focus on North Post, PFZ North, North Pit and South Pit resource/reserve development
- Positive results at North Pit and PFZ North with North Post results pending


Goldstrike – Betze-Post Drift Project
N


Goldstrike – Betze-Post Drift Project
N


Goldstrike – Underground Exploration
NORTH POST
RODEO
1,520 m
EAST GRIFFIN
1,220 m
EXTENSION
610 m
WEST RODEO
MEIKLE
920 m
WEST GRIFFIN
2,130 m
BARREL
3,050 m
BANSHEE
SOUTH MEIKLE
PLAN VIEW
SURFACE TOPO
MEIKLE
920 m
SOUTH
MEIKLE
EXTENSION
610 m
WEST
GRIFFIN
2,130 m
EAST
GRIFFIN
1,220 m
BARREL
3,050 m
RODEO
1,520 m
NORTH POST
BANSHEE
WEST RODEO
SECTION VIEW
EXPLORATION 6,100 m
RESERVE DEVELOPMENT 9,450 m



TUSCARORA MOUNTAINS
INDEPENDENCE MOUNTAINS
Dee / Rossi – Nevada
Storm
ELKO COUNTY
EUREKA COUNTY
Arturo
2C
Rossi
Storm
S. Button Hill
S. Arturo
JB Zone
Dee
Meikle
Goldstrike
Betze-Post
0
1
2
3
4
Miles

Dee/Rossi 2005 Program

- 1,250' UG Development, 34,000' UG Core drilling and 32,800' Surface RC Drilling in seven target areas
- 967' UG Development, 10,696' of UG Core drilling in End Zone, Discovery Zone and Dee UG completed YTD
- Positive results encountered at all three targets drill tested YTD
- Pre-feasibility study on 49er Zone completed


BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005

Rossi – 2005 UG Drill Plan



BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005


Dee - 2005 UG Drill Plan




Ruby Hill 2005 Program

- 34,500’ combined RC and Core drilling planned
- Targets include Deep East Archimedes, East Holly, TL Shaft
- 22,695’ drilling completed YTD
- Positive results at Deep East Archimedes and TL Shaft
- Phase II program in progress at Deep East Archimedes

Ruby Hill – Deep East Archimedes





Deep East Archimedes



Round Mountain

Joint Venture
Gold Hill and
AMI Projects





Round Mountain JV - 2005 Program YTD


West Sinter - Deep Vein Target


- 2 RC/core holes totaling 3,680' completed
- Narrow, low to moderate grade vein intercepts in both holes

AMI Exploration Program

- Targets Identified Include: North Pediment, South Pediment, SE Paleozoic, Palo Alto Hills
- 8 RC holes totaling 8,770' completed YTD

BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005


Marigold JV 2005 Development Drilling
Total 05 YTD drilling
(at Aug 9): 237 holes
for 155,000 feet
Reserve Areas
Resource Areas
Development Targets
VALMY
80
N
1 Mile
Current Marigold Mine Area
32S
5 NE
8 N
5 N
Deep 8
Target 2
Basalt Pit
TZN
Terry Southward
Target 1 & 3:
Antler
Property Boundary


Marigold JV 2005 Exploration Targets
VALMY
80
N
1 Mile
Property Boundary
Reserve Areas
Resource Areas
Exploration Targets
Current Marigold Mine Area
32S
5 NE
8 N
5 N
Deep 8
Section 32 Target
X
Valmy Pits
X
Basalt Pit
Antler Pit
TZN
Target/ Mackay Pits
Sections 19/30/36 Targets
Bison

Summary – Nevada Exploration

- 2005 exploration programs are in progress throughout Nevada
- Encouraging results have been obtained at the Goldstrike, Dee/Rossi, Ruby Hill projects
- We expect the 2005 program to result in meaningful reserve/resource additions
- Barrick currently has a well balanced pipeline of quality projects ranging from grassroots to reserve development which will be aggressively explored in 2005 and beyond

Summary – Goldstrike

- Reliable mine generating strong earnings and cash flow
- Management team focused on maximizing the value of assets
- Excellent potential to expand reserves particularly in a strong gold price environment


BARRICK
GOLDSTRIKE
BARRICK GOLDSTRIKE MINE TOUR – AUGUST 2005